



SmartGroup

GLASS LIFTS




The only one on the market with a height of 5.8 meters and a horizontal reach of 4.5 meters!

 +31 (0)46 4574 102

 sales@colle.eu

SG450

- ✔ Max. capacity 450 kg
- ✔ Max height COG 5,500 mm
- ✔ Length 2,065 mm
- ✔ Width 810 mm
- ✔ Total weight 1,050 kg
- ✔ Rotary pistons 180°
- ✔ Tilting pistons 180°
- ✔ Pistons 4 x Ø 300 mm
- ✔ Sideways shift 100 mm
- ✔ Batteries 4 x 105 Ah/AGM
- ✔ Integrated battery charger
- ✔ Load protection integrated
- ✔ Proportional control
- ✔ Option: radio remote control




SG650



SmartGroup

- ✔ Max. capacity 650 kg
- ✔ Max height COG 5,500 mm
- ✔ Length 2,065 mm
- ✔ Width 890 mm
- ✔ Total weight 1,175 kg
- ✔ Rotary pistons 180°
- ✔ Tilting pistons 180°
- ✔ Pistons 4 x Ø 400 mm
- ✔ Sideways shift 100 mm
- ✔ Batteries 4 x 105 Ah/AGM
- ✔ Integrated battery charger
- ✔ Load protection integrated
- ✔ Proportional control
- ✔ Option: radio remote control




SG1200

- ✔ Max. capacity 1,200 kg
- ✔ Max height 5,500 mm
- ✔ Length 2,800 mm
- ✔ Width 1,200 mm
- ✔ Total weight 1,975 kg
- ✔ Rotary pistons 180°
- ✔ Tilting pistons 180°
- ✔ Pistons 6 x Ø 400 mm
- ✔ Sideways shift 100 mm
- ✔ Batteries 4 x 150 Ah/AGM
- ✔ Integrated battery charger
- ✔ Load protection integrated
- ✔ Proportional control
- ✔ Option: radio remote control



SmartGroup



Disclaimer

No rights can be derived from the texts, specifications, images, or other information found in this catalogue. Everything in this catalogue is subject to change. Photographs, texts, and specifications are approximations and are non-binding. During the design and creation of this catalogue, we worked as carefully as possible. However, we provide no guarantee that the information in this catalogue is complete, current, and/or accurate.

Version 09-2019