




# PACAM

Purchase Association Construction and Agriculture Machinery

## **PACAM** agriculture attachments



# PACAM Attachments

## Bale gripper 1 hydraulic cylinder



### Characteristics:

Maximum opening: 2100 mm  
 Arms: pipe — 60 mm,  
 Standard connection: EURO,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Bale size (M)	Price (€)
PACUBGAM	Transport	Euro	1360	1160	780	195	1000	0,9 - 1,8	



**PACAM Attachments**  
 Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Bale gripper 2 hydraulic cylinders



### Characteristics:

Maximum opening: 2100 mm  
 Arms: pipe — 60 mm,  
 Standard connection: EURO,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Bale size (M)	Price (€)
PACUBG2CAM	Transport	Euro	1360	1160	780	200	1000	0,9 - 1,8	



**PACAM Attachments**  
 Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl







# PACAM Attachments

## Bale transporter – mechanical



### Characteristics:

Arms: pipe — 60 mm, length: 1100 mm  
Standard connection: EURO,

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Bale size (M)	Price (€)
PACUBTMAM	Transport	Euro	1460	1300	950	120	1000	1,2 - 1,8	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl



# PACAM Attachments

## Bale fork 2 tines



### Characteristics:

Tine length and type: 1100 mm, forged tines

Tine distance: 750 mm

Standard connection: EURO,

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Number of tines	Price (€)
PACUBF2TAM	Transport	Euro	1140	1100	610	70	800	2	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl



# PACAM Attachments

## Bale fork 4 tines



### Characteristics:

Tine length and type: lower-1100 mm, upper-810 mm, forged tines

Lower tine distance: 370 mm

Standard connection: EURO,

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Number of tines	Price (€)
PACUBF4TAM	Transport	Euro	1140	1000	1200	120	800	4	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Bale fork 9 tines



### Characteristics:

Tine length and type: lower-1200 mm, upper-600 mm, forged tines

Lower tine distance: 500/800/500 mm

Standard connection: EURO,

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Number of tines	Price (€)
PACUFF2BAM	Transport	Euro	1450	1200	1320	150	1000	9	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Bale fork + BIG BAG hook



### Characteristics:

Tine length and type: lower-1100 mm, upper-500 mm, forged tines

Tine distance: lower-330 mm, upper-660 mm

Big Bag hook capacity: 1000 Kg

Standard connection: EURO,

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Number of tines	Price (€)
PACUFF2BBAM	Transport	Euro	1450	1200	1320	150	1000	7	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl





# PACAM Attachments

## Wood gripper for pallet frame



### Characteristics:

Standard connection: FEM 2

Optional other type of connection on request



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACUPG1AM	Transport	Fem 2a	340	540	1190	75	1000	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Wood gripper with 1 arm



### Characteristics:

Fork distance: 700 mm  
 Opening height: 135mm — 1025mm  
 Standard connection: EURO,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACUWG1AM	Transport	Euro	700	600	630	160	1000	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Wood gripper with 2 arms



### Characteristics:

Fork distance: 1300 mm  
 Opening height: 135mm — 835mm  
 Standard connection: EURO,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACUWG2AM	Transport	Euro	1300	970	780	240	1200	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Wood gripper with 2 arms MAXI



### Characteristics:

Fork distance: 900 mm  
 Opening height: 285mm — 1200 mm  
 Standard connection: EURO,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACUWG2MAM	Transport	Euro	1300	970	780	240	1200	



**PACAM Attachments**  
 Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl



# PACAM Attachments

## Wood gripper with 2 arms for telescopic loaders



### Characteristics:

Fork distance: 2000 mm  
 Opening height: 160 mm — 1200 mm  
 Standard connection: EURO,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACXLUWG2AM	Transport	Euro	2100	1400	1200	700	2500	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Pallet forks 1,6t



### Characteristics:

Fork length: 1200 mm  
Standard connection: EURO,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACUPF16AM	Transport	Euro	1210	1200	500	140	1600	



**PACAM Attachments**  
Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Pallet forks 2,0t



### Characteristics:

Fork length: 1200 mm  
Standard connection: EURO,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACUPF20AM	Transport	Euro	1250	1200	500	165	2000	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Pallet forks 2,0t with extender



### Characteristics:

Fork length: 1200 mm  
Standard connection: EURO,

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACUPF20PAM	Transport	Euro	1270	1200	1180	190	2000	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl



# PACAM Attachments


## Pallet forks hydraulic adjustable



### Characteristics:

Fork length: 1200 mm  
Standard connection: EURO,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACUPF25HAM	Transport	Euro	1200	1200	600	215	2500	
PACUPF40HAM	Transport	Euro	1200	1200	600	270	4000	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Pallet forks for telescopic loaders



### Characteristics:

Fork length: 1200 mm  
Standard connection: EURO,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Load (Kg)	Price (€)
PACXLPF25/12AM	Telescoop	Telesopic	1250	1200	600	200	2000	
PACXLPF25/16AM	Telescoop	Telesopic	1250	1200	600	220	2500	
PACXLPF30/16AM	Telescoop	Telesopic	1250	1200	600	260	3000	
PACXLPF40/16AM	Telescoop	Telesopic	1250	1200	600	300	4000	




### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Adapters



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACAUD3P/EAM	Transport	3 point / EURO	1200	290	830	75	
PACAUDM/EAM	Transport	MINILOADER / EURO	1200	490	160	115	
PACAUDT/EAM	Transport	TELESKOPIC / EURO	1200	490	160	155	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Tractor linkage triangle, 3 point CAT. 2 adapter



Part number	Category	Connection	Wide B (mm)	Height H (mm)	Weight (kg)	Price (€)
PACAT2MAM	Transport	3 point CAT. 2	845	560	35	
PACAT2FAM	Transport	adapter	845	560	15	



**PACAM Attachments**  
 Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Transportbox



### Characteristics:

Standard connection: 3 point CAT. 2

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACUTB120AM	Transport	3 point CAT. 2	1200	1236	716/494	186	
PACUTB150AM	Transport	3 point CAT. 2	1500	1236	716/494	210	
PACUTB180AM	Transport	3 point CAT. 2	1800	1236	716/494	246	
PACUTB200AM	Transport	3 point CAT. 2	2000	1236	716/494	270	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Standard bucket



### Characteristics:

Blade: 400HB 110x12 mm

Strengthening: ribs as standard, optional reinforcing plate

Standard connection: mini loaders,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACSSB090AM	Miniloader	Miniloader	900	830	630	240	120	
PACSSB110AM	Miniloader	Miniloader	1100	830	630	290	145	
PACSSB120AM	Miniloader	Miniloader	1200	830	630	320	155	
PACSSB140AM	Miniloader	Miniloader	1400	830	630	370	165	
PACSSB150AM	Miniloader	Miniloader	1500	830	630	400	170	
PACSSB160AM	Miniloader	Miniloader	1600	830	630	430	180	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Volume bucket



### Characteristics:

Blade: 400HB 110x12 mm

Strengthening: ribs as standard, optional reinforcing plate

Standard connection: mini loaders,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACSVB120AM	Miniloader	Miniloader	1200	940	760	440	172	
PACSVB140AM	Miniloader	Miniloader	1400	940	760	510	196	
PACSVB150AM	Miniloader	Miniloader	1500	940	760	550	208	
PACSVB160AM	Miniloader	Miniloader	1600	940	760	590	220	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl



# PACAM Attachments

## High tip bucket



### Characteristics:

Blade: 400HB 110x16 mm  
Standard connection: mini loaders,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACSHTB100AM	Miniloader	Miniloader	1000	910/1060	770	400	325	
PACSHTB120AM	Miniloader	Miniloader	1200	910/1060	770	480	340	
PACSHTB140AM	Miniloader	Miniloader	1400	910/1060	770	560	355	
PACSHTB160AM	Miniloader	Miniloader	1600	910/1060	770	640	370	
PACSHTB180AM	Miniloader	Miniloader	1800	910/1060	770	720	385	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## 4 in 1 bucket light



### Characteristics:

Blade: 400HB 110x16 mm  
 Opening height: 700 mm  
 Standard connection: mini loaders,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACS41BL090AM	Miniloader	Miniloader	900	680	700	220	200	
PACS41BL110AM	Miniloader	Miniloader	1100	680	700	240	210	
PACS41BL130AM	Miniloader	Miniloader	1300	680	700	260	220	
PACS41BL140AM	Miniloader	Miniloader	1400	680	700	280	230	
PACS41BL150AM	Miniloader	Miniloader	1500	680	700	300	240	
PACS41BL160AM	Miniloader	Miniloader	1600	680	700	320	250	
PACS41BL180AM	Miniloader	Miniloader	1800	680	700	340	260	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## 4 in 1 bucket



### Characteristics:

Blade: 400HB 110x16 mm  
 Opening height: 700 mm  
 Standard connection: mini loaders,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACS41B090AM	Miniloader	Miniloader	900	750	810	310	275	
PACS41B110AM	Miniloader	Miniloader	1100	750	810	340	290	
PACS41B130AM	Miniloader	Miniloader	1300	750	810	370	305	
PACS41B140AM	Miniloader	Miniloader	1400	750	810	400	330	
PACS41B150AM	Miniloader	Miniloader	1500	750	810	430	345	
PACS41B160AM	Miniloader	Miniloader	1600	750	810	460	360	
PACS41B180AM	Miniloader	Miniloader	1800	750	810	520	390	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: [info@pacam.nl](mailto:info@pacam.nl)  
 Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Skeleton without plate (stone bucket)



### Characteristics:

Blade: 400HB 150x20 mm

Bar distance: 50 mm

Standard connection: mini loaders,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACSPBP120AM	Miniloader	Miniloader	1200	740	640	300	180	
PACSPBP140AM	Miniloader	Miniloader	1400	740	640	350	195	
PACSPBP160AM	Miniloader	Miniloader	1600	740	640	400	210	
PACSPBP180AM	Miniloader	Miniloader	1800	740	640	450	225	
PACSPBP200AM	Miniloader	Miniloader	2000	740	640	500	240	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Skeleton with plate (stone bucket)



### Characteristics:

Blade: 400HB 150x20 mm

Bar distance: 50 mm

Standard connection: mini loaders,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACSPBP120PAM	Miniloader	Miniloader	1200	740	640	300	223	
PACSPBP140PAM	Miniloader	Miniloader	1400	740	640	350	245	
PACSPBP160PAM	Miniloader	Miniloader	1600	740	640	400	267	
PACSPBP180PAM	Miniloader	Miniloader	1800	740	640	450	289	
PACSPBP200PAM	Miniloader	Miniloader	2000	740	640	500	311	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: [info@pacam.nl](mailto:info@pacam.nl)

Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Manurefork with gripper



### Characteristics:

Tine length: lower-810 mm, upper-400 mm

Opening height: 1030 mm

Standard connection: mini loaders,

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Load (Kg)	Working angle ( ° )	Number of cylinders	Price (€)
PACSBWG090AM	PACSFWG090AM	Miniloader	Miniloader	900	880	730	360	155	4 / 5	1	
PACSBWG110AM	PACSFWG110AM	Miniloader	Miniloader	1100	880	730	440	170	5 / 6	1	
PACSBWG120AM	PACSFWG120AM	Miniloader	Miniloader	1200	880	730	480	195	6 / 7	1	
PACSBWG140AM	PACSFWG140AM	Miniloader	Miniloader	1400	880	730	560	210	7 / 8	2	
PACSBWG150AM	PACSFWG150AM	Miniloader	Miniloader	1500	880	730	600	220	7 / 8	2	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl



# PACAM Attachments

## Bucket with gripper



### Characteristics:

Blade: 400HB 110x12 mm  
 Tine length: 600 mm  
 Opening height: 960 mm  
 Standard connection: mini loaders,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Number of cylinders	Price (€)
PACSBWG090AM	Miniloader	Miniloader	900	820	690	320	150	4	1	
PACSBWG110AM	Miniloader	Miniloader	1100	820	690	400	180	5	1	
PACSBWG120AM	Miniloader	Miniloader	1200	820	690	430	195	6	1	
PACSBWG140AM	Miniloader	Miniloader	1400	820	690	500	230	7	2	
PACSBWG150AM	Miniloader	Miniloader	1500	820	690	540	245	7	2	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl



# PACAM Attachments

## Bucket with heavy gripper ( 2 cylinders )



### Characteristics:

Blade: 400HB 110x12 mm  
 Tine length: 820 mm  
 Opening height: 1290 mm  
 Standard connection: mini loaders,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACSBGB090AM	Miniloader	Miniloader	900	1000	910	360	250	3	
PACSBGB110AM	Miniloader	Miniloader	1100	1000	910	440	280	4	
PACSBGB120AM	Miniloader	Miniloader	1200	1000	910	480	295	4	
PACSBGB140AM	Miniloader	Miniloader	1400	1000	910	560	325	4	
PACSBGB150AM	Miniloader	Miniloader	1500	1000	910	600	340	5	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Silage cutter - fork



### Characteristics:

Tine length: 820 mm  
 Opening height: 910 mm  
 Standard connection: mini loaders,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACSSC090AM	Miniloader	Miniloader	900	1010	880	420	450	6	
PACSSC110AM	Miniloader	Miniloader	1100	1010	880	460	470	7	
PACSSC130AM	Miniloader	Miniloader	1300	1010	880	550	490	8	
PACSSC150AM	Miniloader	Miniloader	1500	1010	880	590	510	9	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Silage cutter - bucket



### Characteristics:

Blade: 400HB 110x12 mm  
 Opening height: 790 mm  
 Standard connection: mini loaders,  
  
 Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACSSCB090AM	Miniloader	Miniloader	900	1040	930	360	450	
PACSSCB110AM	Miniloader	Miniloader	1100	1040	930	432	470	
PACSSCB130AM	Miniloader	Miniloader	1300	1040	930	510	490	
PACSSCB150AM	Miniloader	Miniloader	1500	1040	930	590	510	



**PACAM Attachments**  
 Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Manure scraper



### Characteristics:

Rubber dimension and type: height — 465mm, thickness — 40mm, monolith rubber  
 Side edges bending: 430mm — 30°  
 Standard connection: mini loaders,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACSRSM150AM	Miniloader	Miniloader	1500	480	680	165	
PACSRSM170AM	Miniloader	Miniloader	1700	480	680	175	
PACSRSM200AM	Miniloader	Miniloader	2000	480	680	185	
PACSRSM220AM	Miniloader	Miniloader	2200	480	680	195	
PACSRSM240AM	Miniloader	Miniloader	2400	480	680	200	
PACSRSM260AM	Miniloader	Miniloader	2600	480	680	205	
PACSRSM300AM	Miniloader	Miniloader	3000	480	680	220	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: [info@pacam.nl](mailto:info@pacam.nl)  
 Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Manure scraper - hydraulic



### Characteristics:

Rubber dimension and type: height — 465mm, thickness — 40mm, monolith rubber  
 Side edges bending: 320mm — 42°  
 Standard connection: mini loaders,

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )	Price (€)
PACSRSH150AM	Miniloader	Miniloader	1500	860	680	230	50	
PACSRSH170AM	Miniloader	Miniloader	1700	860	680	242	50	
PACSRSH200AM	Miniloader	Miniloader	2000	860	680	265	50	
PACSRSH220AM	Miniloader	Miniloader	2200	860	680	273	50	
PACSRSH240AM	Miniloader	Miniloader	2400	860	680	280	50	
PACSRSH260AM	Miniloader	Miniloader	2600	860	680	295	50	
PACSRSH300AM	Miniloader	Miniloader	3000	860	680	315	50	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl



# PACAM Attachments

## Broom sweeper ( 8 row brooms )



### Characteristics:

Brush size: height — 260mm, thickness — 3mm

Brush type: polypropylene



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACZSZC150PAL8AM	Forklift	Palletforks	1500	670	340	150	
PACZSZC200PAL8AM	Forklift	Palletforks	2000	670	340	190	
PACZSZC250PAL8AM	Forklift	Palletforks	2500	670	340	230	
PACZSZC300PAL8AM	Forklift	Palletforks	3000	670	340	270	
PACZSZC150EURO8AM	Frontloader	Euro	1500	670	340	150	
PACZSZC200EURO8AM	Frontloader	Euro	2000	670	340	190	
PACZSZC250EURO8AM	Frontloader	Euro	2500	670	340	230	
PACZSZC300EURO8AM	Frontloader	Euro	3000	670	340	270	
PACZSZC150MINI8AM	Miniloader	Miniloader	1500	670	340	150	
PACZSZC200MINI8AM	Miniloader	Miniloader	2000	670	340	190	
PACZSZC250MINI8AM	Miniloader	Miniloader	2500	670	340	230	
PACZSZC300MINI8AM	Miniloader	Miniloader	3000	670	340	270	
PACZSZC150TELE8AM	Telescoop	Telesopic	1500	670	340	150	
PACZSZC200TELE8AM	Telescoop	Telesopic	2000	670	340	190	
PACZSZC250TELE8AM	Telescoop	Telesopic	2500	670	340	230	
PACZSZC300TELE8AM	Telescoop	Telesopic	3000	670	340	270	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Broom sweeper ( 11 row brooms )



### Characteristics:

Brush size: height — 260mm, thickness — 3mm  
Brush type: polypropylene



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACZSZC150PAL11AM	Forklift	Palletforks	1500	670	340	150	
PACZSZC200PAL11AM	Forklift	Palletforks	2000	670	340	190	
PACZSZC250PAL11AM	Forklift	Palletforks	2500	670	340	230	
PACZSZC300PAL11AM	Forklift	Palletforks	3000	670	340	270	
PACZSZC150EURO11AM	Frontloader	Euro	1500	670	340	150	
PACZSZC200EURO11AM	Frontloader	Euro	2000	670	340	190	
PACZSZC250EURO11AM	Frontloader	Euro	2500	670	340	230	
PACZSZC300EURO11AM	Frontloader	Euro	3000	670	340	270	
PACZSZC150MINI11AM	Miniloader	Miniloader	1500	670	340	150	
PACZSZC200MINI11AM	Miniloader	Miniloader	2000	670	340	190	
PACZSZC250MINI11AM	Miniloader	Miniloader	2500	670	340	230	
PACZSZC300MINI11AM	Miniloader	Miniloader	3000	670	340	270	
PACZSZC150TELE11AM	Telescoop	Telesopic	1500	670	340	150	
PACZSZC200TELE11AM	Telescoop	Telesopic	2000	670	340	190	
PACZSZC250TELE11AM	Telescoop	Telesopic	2500	670	340	230	
PACZSZC300TELE11AM	Telescoop	Telesopic	3000	670	340	270	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl



# PACAM Attachments

## Standard bucket



### Characteristics:

Blade: 400HB 110x12 mm  
 Strengthening: ribs as standard above 1600mm,  
 Optional reinforcing plate  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMSB140AM	Frontloader	Euro	1400	800	710	450	140	
PACMSB150AM	Frontloader	Euro	1500	800	710	480	155	
PACMSB160AM	Frontloader	Euro	1600	800	710	510	170	
PACMSB180AM	Frontloader	Euro	1800	800	710	580	185	
PACMSB200AM	Frontloader	Euro	2000	800	710	640	195	
PACMSB220AM	Frontloader	Euro	2200	800	710	700	210	
PACMSB240AM	Frontloader	Euro	2400	800	710	770	225	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Volume bucket



### Characteristics:

Blade: 400HB 110x16 mm  
 Strengthening: ribs as standard above 1600mm,  
 Optional reinforcing plate  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMVB140AM	Frontloader	Euro	1400	870	740	560	245	
PACMVB150AM	Frontloader	Euro	1500	870	740	600	255	
PACMVB160AM	Frontloader	Euro	1600	870	740	640	265	
PACMVB180AM	Frontloader	Euro	1800	870	740	720	280	
PACMVB200AM	Frontloader	Euro	2000	870	740	800	295	
PACMVB220AM	Frontloader	Euro	2200	870	740	880	310	
PACMVB240AM	Frontloader	Euro	2400	870	740	960	325	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Volume bucket MAXI



### Characteristics:

Blade: 400HB 150x16 mm  
 Strengthening: ribs as standard  
 Optional reinforcing plate  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMVBM160AM	Frontloader	Euro	1600	1210	910	1030	240	
PACMVBM180AM	Frontloader	Euro	1800	1210	910	1170	270	
PACMVBM200AM	Frontloader	Euro	2000	1210	910	1300	300	
PACMVBM220AM	Frontloader	Euro	2200	1210	910	1430	330	
PACMVBM240AM	Frontloader	Euro	2400	1210	910	1560	360	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## High tip bucket



### Characteristics:

Blade: 400HB 110x16 mm  
Standard connection: EURO

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMHTB140AM	Frontloader	Euro	1400	920/1060	770	560	340	
PACMHTB160AM	Frontloader	Euro	1600	920/1060	770	640	370	
PACMHTB180AM	Frontloader	Euro	1800	920/1060	770	720	400	
PACMHTB200AM	Frontloader	Euro	2000	920/1060	770	800	430	
PACMHTB220AM	Frontloader	Euro	2200	920/1060	770	880	460	
PACMHTB240AM	Frontloader	Euro	2400	920/1060	770	960	490	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## High tip bucket MAXI



### Characteristics:

Blade: 400HB 150x16 mm  
Standard connection: EURO

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMHTBM180AM	Frontloader	Euro	1800	1310/1470	1120	1440	630	
PACMHTBM200AM	Frontloader	Euro	2000	1310/1470	1120	1600	650	
PACMHTBM220AM	Frontloader	Euro	2200	1310/1470	1120	1760	670	
PACMHTBM230AM	Frontloader	Euro	2300	1310/1470	1120	1840	680	
PACMHTBM250AM	Frontloader	Euro	2500	1310/1470	1120	2000	700	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## 4 in 1 bucket



### Characteristics:

Blade: 400HB 110x16 mm  
 Opening height: 850 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACM41B140AM	Frontloader	Euro	1400	810	830	400	350	
PACM41B150AM	Frontloader	Euro	1500	810	830	430	390	
PACM41B160AM	Frontloader	Euro	1600	810	830	460	430	
PACM41B180AM	Frontloader	Euro	1800	810	830	520	470	
PACM41B200AM	Frontloader	Euro	2000	810	830	580	510	
PACM41B220AM	Frontloader	Euro	2200	810	830	640	540	
PACM41B240AM	Frontloader	Euro	2400	810	830	700	580	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: [info@pacam.nl](mailto:info@pacam.nl)  
 Website: [www.pacam.nl](http://www.pacam.nl)



# PACAM Attachments

## Stone bucket



### Characteristics:

Bar distance: 70 mm  
Standard connection: EURO

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMSBS160AM	Frontloader	Euro	1600	980	730	330	265	
PACMSBS200AM	Frontloader	Euro	2000	980	730	420	320	
PACMSBS240AM	Frontloader	Euro	2400	980	730	500	375	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)



# PACAM Attachments

## Potato bucket



### Characteristics:

Blade: 400HB 150x16 mm

Bar distance: 30 mm

Standard connection: EURO

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMPB160AM	Frontloader	Euro	1600	1140	910	800	285	
PACMPB180AM	Frontloader	Euro	1800	1140	910	900	300	
PACMPB200AM	Frontloader	Euro	2000	1140	910	1000	315	
PACMPB220AM	Frontloader	Euro	2200	1140	910	1100	330	
PACMPB240AM	Frontloader	Euro	2400	1140	910	1200	345	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Beet bucket without plate



### Characteristics:

Blade: 400HB 150x20 mm  
 Bar distance: 70 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMBBP160AM	Frontloader	Euro	1600	1140	910	800	280	
PACMBBP180AM	Frontloader	Euro	1800	1140	910	900	300	
PACMBBP200AM	Frontloader	Euro	2000	1140	910	1000	320	
PACMBBP220AM	Frontloader	Euro	2200	1140	910	1100	340	
PACMBBP240AM	Frontloader	Euro	2400	1140	910	1200	360	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Beet bucket with plate



### Characteristics:

Blade: 400HB 150x20 mm  
 Bar distance: 70 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMBBP160PAM	Frontloader	Euro	1600	1140	910	800	382	
PACMBBP180PAM	Frontloader	Euro	1800	1140	910	900	414	
PACMBBP200PAM	Frontloader	Euro	2000	1140	910	1000	446	
PACMBBP220PAM	Frontloader	Euro	2200	1140	910	1100	478	
PACMBBP240PAM	Frontloader	Euro	2400	1140	910	1200	510	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Manure fork



### Characteristics:

Tine length: 810 mm  
Standard connection: EURO

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Number of tines	Price (€)
PACMMF140AM	Frontloader	Euro	1400	870	640	90	8	
PACMMF150AM	Frontloader	Euro	1500	870	640	95	8	
PACMMF160AM	Frontloader	Euro	1600	870	640	100	9	
PACMMF180AM	Frontloader	Euro	1800	870	640	110	9	
PACMMF200AM	Frontloader	Euro	2000	870	640	120	10	
PACMMF220AM	Frontloader	Euro	2200	870	640	130	11	
PACMMF240AM	Frontloader	Euro	2400	870	640	140	12	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: [info@pacam.nl](mailto:info@pacam.nl)  
Website: [www.pacam.nl](http://www.pacam.nl)

# PACAM Attachments

## Manurefork with gripper ( 2 cylinders )



### Characteristics:

Tine length: lower-810 mm, upper-680 mm  
 Opening height: 1280 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACMFWG140AM	Frontloader	Euro	1400	1040	880	770	255	7 / 8	
PACMFWG150AM	Frontloader	Euro	1500	1040	880	820	265	7 / 8	
PACMFWG160AM	Frontloader	Euro	1600	1040	880	880	275	8 / 9	
PACMFWG180AM	Frontloader	Euro	1800	1040	880	990	295	8 / 9	
PACMFWG200AM	Frontloader	Euro	2000	1040	880	1100	315	9 / 10	
PACMFWG220AM	Frontloader	Euro	2200	1040	880	1210	335	10 / 11	
PACMFWG240AM	Frontloader	Euro	2400	1040	880	1320	355	11 / 12	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Bucket with gripper ( 2 cylinders )



### Characteristics:

Blade: 400HB 110x16 mm  
 Tine length: 680 mm  
 Opening height: 1220 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACMBWG150AM	Frontloader	Euro	1500	820	980	780	320	7	
PACMBWG160AM	Frontloader	Euro	1600	820	980	830	335	8	
PACMBWG180AM	Frontloader	Euro	1800	820	980	940	390	8	
PACMBWG200AM	Frontloader	Euro	2000	820	980	1040	420	9	
PACMBWG220AM	Frontloader	Euro	2200	820	980	1140	450	10	
PACMBWG240AM	Frontloader	Euro	2400	820	980	1250	480	11	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl



# PACAM Attachments

## Bucket with heavy gripper ( 2 cylinders )



### Characteristics:

Blade: 400HB 150x16 mm  
 Tine length: 820 mm  
 Opening height: 1290 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACMBGB150AM	Frontloader	Euro	1500	1000	910	630	347	5	
PACMBGB160AM	Frontloader	Euro	1600	1000	910	670	363	5	
PACMBGB180AM	Frontloader	Euro	1800	1000	910	750	395	6	
PACMBGB200AM	Frontloader	Euro	2000	1000	910	840	427	6	
PACMBGB220AM	Frontloader	Euro	2200	1000	910	920	459	7	
PACMBGB240AM	Frontloader	Euro	2400	1000	910	1000	491	7	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl



# PACAM Attachments


## Bucket with heavy gripper MAXI ( 2 cylinders )



### Characteristics:

Blade: 400HB 150x20 mm  
 Tine length: 920 mm  
 Opening height: 1570 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACMBGBM180AM	Frontloader	Euro	1800	1110	1250	1030	640	6	
PACMBGBM200AM	Frontloader	Euro	2000	1110	1250	1140	670	6	
PACMBGBM220AM	Frontloader	Euro	2200	1110	1250	1250	700	7	
PACMBGBM230AM	Frontloader	Euro	2300	1110	1250	1310	720	7	
PACMBGBM240AM	Frontloader	Euro	2400	1110	1250	1370	730	7	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Bale cutter



### Characteristics:

Tine length: 1000 mm  
 Opening height: 1300 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Number of tines	Price (€)
PACMBC19AM	Frontloader	Euro	1900	1030	860	450	6	
PACXLBC19AM	Telescoop	Telesopic	1900	1030	860	450	6	



**PACAM Attachments**  
 Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Silage cutter - fork



### Characteristics:

Tine length: 810 mm  
 Opening height: 910 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACMSC110AM	Frontloader	Euro	1100	1010	880	630	430	7	
PACMSC130AM	Frontloader	Euro	1300	1010	880	750	453	8	
PACMSC150AM	Frontloader	Euro	1500	1010	880	870	475	9	
PACMSC170AM	Frontloader	Euro	1700	1010	880	990	497	10	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Silage cutter - bucket



### Characteristics:

Blade: 400HB 110x12 mm  
 Opening height: 790 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACMSCB110AM	Frontloader	Euro	1100	1040	930	630	430	
PACMSCB130AM	Frontloader	Euro	1300	1040	930	750	453	
PACMSCB150AM	Frontloader	Euro	1500	1040	930	870	475	
PACMSCB170AM	Frontloader	Euro	1700	1040	930	990	497	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Silage cutter multi 3 in 1



### Characteristics:

Tine length: 810 mm  
 Blade: 400HB 110x12 mm  
 Opening height: 790 mm  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACMSSCM170AM	Frontloader	Euro	1700	1100	850	680	
PACMSSCM190AM	Frontloader	Euro	1900	1100	850	775	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Manure scraper



### Characteristics:

Rubber dimension and type: height — 465mm, thickness — 40mm, monolith rubber  
 Side edges bending: 430mm — 30°  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACMRSM150AM	Frontloader	Euro	1500	480	680	165	
PACMRSM170AM	Frontloader	Euro	1700	480	680	175	
PACMRSM200AM	Frontloader	Euro	2000	480	680	185	
PACMRSM220AM	Frontloader	Euro	2200	480	680	195	
PACMRSM240AM	Frontloader	Euro	2400	480	680	200	
PACMRSM260AM	Frontloader	Euro	2600	480	680	205	
PACMRSM300AM	Frontloader	Euro	3000	480	680	220	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl



# PACAM Attachments

## Manure scraper - hydraulic



### Characteristics:

Rubber dimension and type: height — 465mm, thickness — 40mm, monolith rubber  
 Side edges bending: 320mm — 42°  
 Standard connection: EURO

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )	Price (€)
PACMRSH150AM	Frontloader	Euro	1500	840	680	230	50	
PACMRSH170AM	Frontloader	Euro	1700	840	680	242	50	
PACMRSH200AM	Frontloader	Euro	2000	840	680	265	50	
PACMRSH220AM	Frontloader	Euro	2200	840	680	273	50	
PACMRSH240AM	Frontloader	Euro	2400	840	680	280	50	
PACMRSH260AM	Frontloader	Euro	2600	840	680	295	50	
PACMRSH300AM	Frontloader	Euro	3000	840	680	315	50	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl



# PACAM Attachments

## Heavy bucket for soil



### Characteristics:

Blade: 400HB 150x16 mm  
Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLHBS180-AAM	Telescoop	Telesopic	1800	1160	870	1030	450	
PACXLHBS200-AAM	Telescoop	Telesopic	2000	1160	870	1140	460	
PACXLHBS220-AAM	Telescoop	Telesopic	2200	1160	870	1250	480	
PACXLHBS230-AAM	Telescoop	Telesopic	2300	1160	870	1310	500	
PACXLHBS240-AAM	Telescoop	Telesopic	2400	1160	870	1370	510	
PACXLHBS250-AAM	Telescoop	Telesopic	2500	1160	870	1430	520	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Heavy bucket for soil



### Characteristics:

Blade: 400HB 150x16 mm  
Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLHBS180-BAM	Telescoop	Telesopic	1800	1208	907	1170	550	
PACXLHBS200-BAM	Telescoop	Telesopic	2000	1208	907	1300	560	
PACXLHBS220-BAM	Telescoop	Telesopic	2200	1208	907	1430	580	
PACXLHBS230-BAM	Telescoop	Telesopic	2300	1208	907	1500	600	
PACXLHBS240-BAM	Telescoop	Telesopic	2400	1208	907	1560	610	
PACXLHBS250-BAM	Telescoop	Telesopic	2500	1208	907	1630	630	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Heavy bucket for soil



### Characteristics:

Blade: 400HB 150x20 mm  
Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLHBS180-CAM	Telescoop	Telesopic	1800	1460	1020	1620	610	
PACXLHBS200-CAM	Telescoop	Telesopic	2000	1460	1020	1800	620	
PACXLHBS220-CAM	Telescoop	Telesopic	2200	1460	1020	1980	640	
PACXLHBS230-CAM	Telescoop	Telesopic	2300	1460	1020	2070	650	
PACXLHBS240-CAM	Telescoop	Telesopic	2400	1460	1020	2160	660	
PACXLHBS250-CAM	Telescoop	Telesopic	2500	1460	1020	2250	670	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Heavy bucket for soil



### Characteristics:

Blade: 400HB 150x20 mm  
Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLHBS180-DAM	Telescoop	Telesopic	1800	1610	1220	1980	670	
PACXLHBS200-DAM	Telescoop	Telesopic	2000	1610	1220	220	700	
PACXLHBS220-DAM	Telescoop	Telesopic	2200	1610	1220	2420	720	
PACXLHBS230-DAM	Telescoop	Telesopic	2300	1610	1220	2530	740	
PACXLHBS240-DAM	Telescoop	Telesopic	2400	1610	1220	2640	750	
PACXLHBS250-DAM	Telescoop	Telesopic	2500	1610	1220	2750	770	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Light bucket for corn



### Characteristics:

Blade: 400HB 150x16 mm  
Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLLBC180-AAM	Telescoop	Telesopic	1800	1160	870	950	380	
PACXLLBC200-AAM	Telescoop	Telesopic	2000	1160	870	1060	400	
PACXLLBC220-AAM	Telescoop	Telesopic	2200	1160	870	1170	410	
PACXLLBC230-AAM	Telescoop	Telesopic	2300	1160	870	1220	430	
PACXLLBC240-AAM	Telescoop	Telesopic	2400	1160	870	1270	440	
PACXLLBC250-AAM	Telescoop	Telesopic	2500	1160	870	1330	450	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Light bucket for corn



### Characteristics:

Blade: 400HB 150x16 mm  
Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLLBC180-BAM	Telescoop	Telesopic	1800	1279	959	1170	480	
PACXLLBC200-BAM	Telescoop	Telesopic	2000	1279	959	1300	500	
PACXLLBC220-BAM	Telescoop	Telesopic	2200	1279	959	1430	520	
PACXLLBC230-BAM	Telescoop	Telesopic	2300	1279	959	1500	530	
PACXLLBC240-BAM	Telescoop	Telesopic	2400	1279	959	1560	540	
PACXLLBC250-BAM	Telescoop	Telesopic	2500	1279	959	1630	560	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Light bucket for corn



### Characteristics:

Blade: 400HB 150x20 mm  
Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLLBC180-CAM	Telescoop	Telesopic	1800	1455	1100	1620	540	
PACXLLBC200-CAM	Telescoop	Telesopic	2000	1455	1100	1800	550	
PACXLLBC220-CAM	Telescoop	Telesopic	2200	1455	1100	1980	570	
PACXLLBC230-CAM	Telescoop	Telesopic	2300	1455	1100	2070	580	
PACXLLBC240-CAM	Telescoop	Telesopic	2400	1455	1100	2160	590	
PACXLLBC250-CAM	Telescoop	Telesopic	2500	1455	1100	2250	600	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl



# PACAM Attachments

## Light bucket for corn



### Characteristics:

Blade: 400HB 150x20 mm  
Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLLBC180-DAM	Telescoop	Telesopic	1800	1610	1220	1980	610	
PACXLLBC200-DAM	Telescoop	Telesopic	2000	1610	1220	2200	630	
PACXLLBC220-DAM	Telescoop	Telesopic	2200	1610	1220	2420	650	
PACXLLBC230-DAM	Telescoop	Telesopic	2300	1610	1220	2530	670	
PACXLLBC240-DAM	Telescoop	Telesopic	2400	1610	1220	2640	680	
PACXLLBC250-DAM	Telescoop	Telesopic	2500	1610	1220	2750	700	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## High tip bucket



### Characteristics:

Blade: 400HB 150x16 mm  
Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLHTB180AM	Telescoop	Telesopic	1800	1310/1460	1120	1440	780	
PACXLHTB200AM	Telescoop	Telesopic	2000	1310/1460	1120	1600	800	
PACXLHTB220AM	Telescoop	Telesopic	2200	1310/1460	1120	1760	820	
PACXLHTB230AM	Telescoop	Telesopic	2300	1310/1460	1120	1840	830	
PACXLHTB250AM	Telescoop	Telesopic	2500	1310/1460	1120	2000	850	
PACXLHTB275AM	Telescoop	Telesopic	2700	1310/1460	1120	2240	880	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## 4 in 1 bucket



### Characteristics:

Blade: 400HB 110x20 mm  
 Opening height: 730 mm  
 Standard connection: Telescopic

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXL41B180AM	Telescoop	Telesopic	1800	920	940	630	520	
PACXL41B200AM	Telescoop	Telesopic	2000	920	940	700	570	
PACXL41B220AM	Telescoop	Telesopic	2200	920	940	770	600	
PACXL41B230AM	Telescoop	Telesopic	2300	920	940	810	620	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Manurefork with gripper ( 2 cylinders )



### Characteristics:

Tine length: lower-1000 mm, upper-1025 mm

Opening height: 1590 mm

Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACXLFGB180AM	Telescoop	Telesopic	1800	1250	1230	1080	550	4 / 8	
PACXLFGB200AM	Telescoop	Telesopic	2000	1250	1230	1200	600	5 / 9	
PACXLFGB220AM	Telescoop	Telesopic	2200	1250	1230	1320	650	5 / 10	
PACXLFGB230AM	Telescoop	Telesopic	2300	1250	1230	1380	700	5 / 10	
PACXLFGB250AM	Telescoop	Telesopic	2500	1250	1230	1500	750	6 / 11	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Manurefork with 2 grippers



### Characteristics:

Tine length: lower-980 mm, upper-790 mm

Opening height: 1410 mm

Standard connection: Telescopic

Optional other type of connection:  
additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACXLFWG180AM	Telescoop	Telesopic	1800	1210	1020	1620	470	8 / 9	
PACXLFWG200AM	Telescoop	Telesopic	2000	1210	1020	1800	500	9 / 10	
PACXLFWG220AM	Telescoop	Telesopic	2200	1210	1020	1980	530	10 / 11	
PACXLFWG230AM	Telescoop	Telesopic	2300	1210	1020	2070	550	11 / 12	
PACXLFWG250AM	Telescoop	Telesopic	2500	1210	1020	2250	580	12 / 13	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Bucket with 2 grippers



### Characteristics:

Blade: 400HB 110x16 mm  
 Tine length: 790 mm  
 Opening height: 1470 mm  
 Standard connection: Telesopic

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACXLBWG180AM	Telescoop	Telesopic	1800	1090	850	1350	570	8	
PACXLBWG200AM	Telescoop	Telesopic	2000	1090	850	1500	595	9	
PACXLBWG220AM	Telescoop	Telesopic	2200	1090	850	1650	640	10	
PACXLBWG230AM	Telescoop	Telesopic	2300	1090	850	1730	660	11	
PACXLBWG250AM	Telescoop	Telesopic	2500	1090	850	1880	700	12	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl




# PACAM Attachments

## Bucket with heavy gripper ( 2 cylinders )



Blade: 400HB 150x20 mm  
 Tine length: 1150 mm  
 Opening height: 1660 mm  
 Standard connection: Telesopic

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACXLBGB180AM	Telescoop	Telesopic	1800	1230	1230	1510	820	6	
PACXLBGB200AM	Telescoop	Telesopic	2000	1230	1230	1680	870	6	
PACXLBGB220AM	Telescoop	Telesopic	2200	1230	1230	1850	930	7	
PACXLBGB230AM	Telescoop	Telesopic	2300	1230	1230	1930	980	7	
PACXLBGB250AM	Telescoop	Telesopic	2500	1230	1230	2100	1020	8	



**PACAM Attachments**  
 Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl




# PACAM Attachments

## Bucket with heavy gripper MAXI ( 2 cylinders )



Blade: 400HB 150x20 mm  
 Tine length: 1260 mm  
 Opening height: 1910 mm  
 Standard connection: Telesopic

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACXLBGBM200AM	Telescoop	Telesopic	2000	1330	1410	2200	1020	6	
PACXLBGBM220AM	Telescoop	Telesopic	2200	1330	1410	2400	1070	7	
PACXLBGBM230AM	Telescoop	Telesopic	2300	1330	1410	2500	1130	7	
PACXLBGBM240AM	Telescoop	Telesopic	2400	1330	1410	2640	1180	7	
PACXLBGBM250AM	Telescoop	Telesopic	2500	1330	1410	2750	1220	8	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Silage cutter - fork



### Characteristics:

Tine length: 810 mm  
 Opening height: 910 mm  
 Standard connection: Telesopic

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Number of tines	Price (€)
PACXLSC130AM	Telescoop	Telesopic	1300	1010	880	750	453	8	
PACXLSC150AM	Telescoop	Telesopic	1500	1010	880	870	475	9	
PACXLSC170AM	Telescoop	Telesopic	1700	1010	880	990	497	10	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Silage cutter - bucket



### Characteristics:

Blade: 400HB 110x12 mm  
 Opening height: 790 mm  
 Number of cylinders: 2 until 1600 mm, 3 above 1600 mm  
 Standard connection: Telescopic

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACXLSCB130AM	Telescoop	Telescopic	1300	1040	930	750	453	
PACXLSCB150AM	Telescoop	Telescopic	1500	1040	930	870	475	
PACXLSCB170AM	Telescoop	Telescopic	1700	1040	930	990	497	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Silage cutter multi 3 in 1



### Characteristics:

Tine length: 810 mm  
 Blade: 400HB 110x12 mm  
 Opening height: 790 mm  
 Standard connection: Telesopic

Optional other type of connection:  
 additional price 110 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACXLSSCM170AM	Telescoop	Telesopic	1700	1100	850	680	
PACXLSSCM190AM	Telescoop	Telesopic	1900	1100	850	775	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Feeding bucket



### Characteristics:

Blade: 400HB 110x12 mm

Auger diameter 300 mm

Outlet both sides: Additional price 500 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides	Price (€)
PACFBSS120EUROAM	Feeding	Euro	1200	1320	900	720	425	No	
PACFBSS140EUROAM	Feeding	Euro	1400	1320	900	840	450	No	
PACFBSS160EUROAM	Feeding	Euro	1600	1320	900	960	470	No	
PACFBSS180EUROAM	Feeding	Euro	1800	1320	900	1080	490	No	
PACFBSS200EUROAM	Feeding	Euro	2000	1320	900	1200	515	No	
PACFBSS230EUROAM	Feeding	Euro	2300	1320	900	1380	540	No	
PACFBSS120MINIAM	Feeding	Miniloader	1200	1320	900	720	425	No	
PACFBSS140MINIAM	Feeding	Miniloader	1400	1320	900	840	450	No	
PACFBSS160MINIAM	Feeding	Miniloader	1600	1320	900	960	470	No	
PACFBSS180MINIAM	Feeding	Miniloader	1800	1320	900	1080	490	No	
PACFBSS120TELEAM	Feeding	Telesopic	1200	1320	900	720	425	No	
PACFBSS140TELEAM	Feeding	Telesopic	1400	1320	900	840	450	No	
PACFBSS160TELEAM	Feeding	Telesopic	1600	1320	900	960	470	No	
PACFBSS180TELEAM	Feeding	Telesopic	1800	1320	900	1080	490	No	
PACFBSS200TELEAM	Feeding	Telesopic	2000	1320	900	1200	515	No	
PACFBSS230TELEAM	Feeding	Telesopic	2300	1320	900	1380	540	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: [info@pacam.nl](mailto:info@pacam.nl)

Website: [www.pacam.nl](http://www.pacam.nl)



# PACAM Attachments

## Feeding volume bucket



### Characteristics:

Blade: 400HB 150x16 mm

Auger diameter 300 mm

Outlet both sides: Additional price 500 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides	Price (€)
PACFBSV140EUROAM	Feeding	Euro	1400	1530	1080	1260	540	No	
PACFBSV160EUROAM	Feeding	Euro	1600	1530	1080	1440	560	No	
PACFBSV180EUROAM	Feeding	Euro	1800	1530	1080	1620	580	No	
PACFBSV200EUROAM	Feeding	Euro	2000	1530	1080	1800	600	No	
PACFBSV230EUROAM	Feeding	Euro	2300	1530	1080	2070	630	No	
PACFBSV140MINIAM	Feeding	Miniloader	1400	1530	1080	1260	540	No	
PACFBSV160MINIAM	Feeding	Miniloader	1600	1530	1080	1440	560	No	
PACFBSV180MINIAM	Feeding	Miniloader	1800	1530	1080	1620	580	No	
PACFBSV140TELEAM	Feeding	Telesopic	1400	1530	1080	1260	540	No	
PACFBSV160TELEAM	Feeding	Telesopic	1600	1530	1080	1440	560	No	
PACFBSV180TELEAM	Feeding	Telesopic	1800	1530	1080	1620	580	No	
PACFBSV200TELEAM	Feeding	Telesopic	2000	1530	1080	1800	600	No	
PACFBSV230TELEAM	Feeding	Telesopic	2300	1530	1080	2070	630	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl



# PACAM Attachments

## Feeding bucket with grab



### Characteristics:

Blade: 400HB 150x16 mm

Auger diameter 300 mm

Outlet both sides: Additional price 500 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides	Price (€)
PACFBWGS120EUROAM	Feeding	Euro	1200	1410	1050	720	400	No	
PACFBWGS140EUROAM	Feeding	Euro	1400	1410	1050	840	430	No	
PACFBWGS160EUROAM	Feeding	Euro	1600	1410	1050	960	460	No	
PACFBWGS180EUROAM	Feeding	Euro	1800	1410	1050	1080	490	No	
PACFBWGS200EUROAM	Feeding	Euro	2000	1410	1050	1200	520	No	
PACFBWGS230EUROAM	Feeding	Euro	2300	1410	1050	1380	560	No	
PACFBWGS120MINIAM	Feeding	Miniloader	1200	1410	1050	720	400	No	
PACFBWGS140MINIAM	Feeding	Miniloader	1400	1410	1050	840	430	No	
PACFBWGS160MINIAM	Feeding	Miniloader	1600	1410	1050	960	460	No	
PACFBWGS120TELEAM	Feeding	Telesopic	1200	1410	1050	720	400	No	
PACFBWGS140TELEAM	Feeding	Telesopic	1400	1410	1050	840	430	No	
PACFBWGS160TELEAM	Feeding	Telesopic	1600	1410	1050	960	460	No	
PACFBWGS180TELEAM	Feeding	Telesopic	1800	1410	1050	1080	490	No	
PACFBWGS200TELEAM	Feeding	Telesopic	2000	1410	1050	1200	520	No	
PACFBWGS230TELEAM	Feeding	Telesopic	2300	1410	1050	1380	560	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl

# PACAM Attachments

## Feeding volume bucket with grab



### Characteristics:

Blade: 400HB 150x16 mm

Auger diameter 300 mm

Outlet both sides: Additional price 500 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides	Price (€)
PACFBWGV140EUROAM	Feeding	Euro	1400	1550	1300	1260	580	No	
PACFBWGV160EUROAM	Feeding	Euro	1600	1550	1300	1440	610	No	
PACFBWGV180EUROAM	Feeding	Euro	1800	1550	1300	1620	640	No	
PACFBWGV200EUROAM	Feeding	Euro	2000	1550	1300	1800	670	No	
PACFBWGV230EUROAM	Feeding	Euro	2300	1550	1300	2070	710	No	
PACFBWGV140MINIAM	Feeding	Miniloader	1400	1550	1300	1260	580	No	
PACFBWGV160MINIAM	Feeding	Miniloader	1600	1550	1300	1440	610	No	
PACFBWGV140TELEAM	Feeding	Telesopic	1400	1550	1300	1260	580	No	
PACFBWGV160TELEAM	Feeding	Telesopic	1600	1550	1300	1440	610	No	
PACFBWGV180TELEAM	Feeding	Telesopic	1800	1550	1300	1620	640	No	
PACFBWGV200TELEAM	Feeding	Telesopic	2000	1550	1300	1800	670	No	
PACFBWGV230TELEAM	Feeding	Telesopic	2300	1550	1300	2070	710	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl

# PACAM Attachments

## Feeding bucket with rigid rotary milling shaft



### Characteristics:

Blade: 400HB 150x16 mm

Auger diameter 300 mm

Outlet both sides: Additional price 500 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides	Price (€)
PACFBRSS120EUROAM	Feeding	Euro	1200	1350	1300	720	480	No	
PACFBRSS140EUROAM	Feeding	Euro	1400	1350	1300	840	510	No	
PACFBRSS160EUROAM	Feeding	Euro	1600	1350	1300	960	540	No	
PACFBRSS180EUROAM	Feeding	Euro	1800	1350	1300	1080	570	No	
PACFBRSS200EUROAM	Feeding	Euro	2000	1350	1300	1200	600	No	
PACFBRSS230EUROAM	Feeding	Euro	2300	1350	1300	1380	640	No	
PACFBRSS120MINIAM	Feeding	Miniloader	1200	1350	1300	720	480	No	
PACFBRSS140MINIAM	Feeding	Miniloader	1400	1350	1300	840	510	No	
PACFBRSS160MINIAM	Feeding	Miniloader	1600	1350	1300	960	540	No	
PACFBRSS120TELEAM	Feeding	Telesopic	1200	1350	1300	720	480	No	
PACFBRSS140TELEAM	Feeding	Telesopic	1400	1350	1300	840	510	No	
PACFBRSS160TELEAM	Feeding	Telesopic	1600	1350	1300	960	540	No	
PACFBRSS180TELEAM	Feeding	Telesopic	1800	1350	1300	1080	570	No	
PACFBRSS200TELEAM	Feeding	Telesopic	2000	1350	1300	1200	600	No	
PACFBRSS230TELEAM	Feeding	Telesopic	2300	1350	1300	1380	640	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl

# PACAM Attachments

## Feeding volume bucket with rigid rotary milling shaft



### Characteristics:

Blade: 400HB 150x16 mm

Auger diameter 300 mm

Outlet both sides: Additional price 500 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides	Price (€)
PACFBRSV140EUROAM	Feeding	Euro	1400	1550	1500	1260	670	No	
PACFBRSV160EUROAM	Feeding	Euro	1600	1550	1500	1440	700	No	
PACFBRSV180EUROAM	Feeding	Euro	1800	1550	1500	1620	730	No	
PACFBRSV200EUROAM	Feeding	Euro	2000	1550	1500	1800	760	No	
PACFBRSV230EUROAM	Feeding	Euro	2300	1550	1500	2070	800	No	
PACFBRSV140MINIAM	Feeding	Miniloader	1400	1550	1500	1260	670	No	
PACFBRSV160MINIAM	Feeding	Miniloader	1600	1550	1500	1440	700	No	
PACFBRSV140TELEAM	Feeding	Telesopic	1400	1550	1500	1260	670	No	
PACFBRSV160TELEAM	Feeding	Telesopic	1600	1550	1500	1440	700	No	
PACFBRSV180TELEAM	Feeding	Telesopic	1800	1550	1500	1620	730	No	
PACFBRSV200TELEAM	Feeding	Telesopic	2000	1550	1500	1800	760	No	
PACFBRSV230TELEAM	Feeding	Telesopic	2300	1550	1500	2070	800	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl

# PACAM Attachments

## Feeding bucket with rotary milling shaft



### Characteristics:

Blade: 400HB 150x16 mm

Auger diameter 300 mm

Outlet both sides: Additional price 500 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides	Price (€)
PACFBHSS120EUROAM	Feeding	Euro	1200	1500	1050	720	500	No	
PACFBHSS140EUROAM	Feeding	Euro	1400	1500	1050	840	550	No	
PACFBHSS160EUROAM	Feeding	Euro	1600	1500	1050	960	590	No	
PACFBHSS180EUROAM	Feeding	Euro	1800	1500	1050	1080	630	No	
PACFBHSS200EUROAM	Feeding	Euro	2000	1500	1050	1200	670	No	
PACFBHSS230EUROAM	Feeding	Euro	2300	1500	1050	1380	720	No	
PACFBHSS120MINIAM	Feeding	Miniloader	1200	1500	1050	720	500	No	
PACFBHSS140MINIAM	Feeding	Miniloader	1400	1500	1050	840	550	No	
PACFBHSS160MINIAM	Feeding	Miniloader	1600	1500	1050	960	590	No	
PACFBHSS120TELEAM	Feeding	Telesopic	1200	1500	1050	720	500	No	
PACFBHSS140TELEAM	Feeding	Telesopic	1400	1500	1050	840	550	No	
PACFBHSS160TELEAM	Feeding	Telesopic	1600	1500	1050	960	590	No	
PACFBHSS180TELEAM	Feeding	Telesopic	1800	1500	1050	1080	630	No	
PACFBHSS200TELEAM	Feeding	Telesopic	2000	1500	1050	1200	670	No	
PACFBHSS230TELEAM	Feeding	Telesopic	2300	1500	1050	1380	720	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl



# PACAM Attachments

## Feeding volume bucket with rotary milling shaft



### Characteristics:

Blade: 400HB 150x16 mm

Auger diameter 300 mm

Outlet both sides: Additional price 500 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides	Price (€)
PACFBHSV140EUROAM	Feeding	Euro	1400	1700	1250	1260	750	No	
PACFBHSV160EUROAM	Feeding	Euro	1600	1700	1250	1440	790	No	
PACFBHSV180EUROAM	Feeding	Euro	1800	1700	1250	1620	830	No	
PACFBHSV200EUROAM	Feeding	Euro	2000	1700	1250	1800	870	No	
PACFBHSV230EUROAM	Feeding	Euro	2300	1700	1250	2070	920	No	
PACFBHSV140MINIAM	Feeding	Miniloader	1400	1700	1250	1260	750	No	
PACFBHSV160MINIAM	Feeding	Miniloader	1600	1700	1250	1440	790	No	
PACFBHSV140TELEAM	Feeding	Telesopic	1400	1700	1250	1260	750	No	
PACFBHSV160TELEAM	Feeding	Telesopic	1600	1700	1250	1440	790	No	
PACFBHSV180TELEAM	Feeding	Telesopic	1800	1700	1250	1620	830	No	
PACFBHSV200TELEAM	Feeding	Telesopic	2000	1700	1250	1800	870	No	
PACFBHSV230TELEAM	Feeding	Telesopic	2300	1700	1250	2070	920	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl




# PACAM Attachments

## Rotary milling shaft for assembling on a bucket

### Characteristics:

Milling shaft diameter 380 mm



Part number	Category	Connection	Wide B (mm)	Weight (kg)	Price (€)
PACFBBS120AM	Feeding	All	1200	140	
PACFBBS150AM	Feeding	All	1500	160	
PACFBBS200AM	Feeding	All	2000	180	
PACFBBS240AM	Feeding	All	2400	200	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Bedding bucket



### Characteristics:

Usage for bedding with chopped straw , sawdust, sand en compost

Spreading width: 10 until 5000 mm

Belt dimension 300 mm

Blade 400HB 110x12 mm

Oil flow 40 L/min

Options:

2 shafts with cutting knives. Additional price 700 €

Speed regulator for belt and shafts. Additional price 250 €

Mechanical spreading distance regulator 200 - 330 mm. Additional price 150 €

Mechanical spreading width regulator 100 - 180 mm. Additional price 125 €

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Outlet both sides	Price (€)
PACBBUN120AM	Bedding	Euro	1200	1540	1520	850	475	Yes	
PACBBUN155AM	Bedding	Euro	1550	1540	1520	1200	545	Yes	
PACBBUN180AM	Bedding	Euro	1800	1540	1520	1450	605	Yes	
PACBBMI120AM	Bedding	Miniloader	1200	1420	1380	650	350	Yes	
PACBBMI155AM	Bedding	Miniloader	1550	1800	1720	900	400	Yes	
PACBBUN120TELEAM	Bedding	Telesopic	1200	1540	1520	850	475	Yes	
PACBBUN155TELEAM	Bedding	Telesopic	1550	1540	1520	1200	545	Yes	
PACBBUN180TELEAM	Bedding	Telesopic	1800	1540	1520	1450	605	Yes	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl



# PACAM Attachments

## Snow blade heavy (Hydr. adjustable L and R)



### Characteristics:

- Wheel support (200/80). Additional price 370 €
- LED lights. Additional price 60 €
- Ground following function. Additional price 120 €
- Steel wear blade 150x16. Additional price/M 100 €
- PU blade 150x30. Additional price/M 100 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )	Blade with spring protection	Price (€)
PACCPCH260AM	Communal	3 point CAT. 2	2600	1130	1140	510	30	No	
PACCPCH290AM	Communal	3 point CAT. 2	2900	1130	1140	540	30	No	
PACCPCH330AM	Communal	3 point CAT. 2	3300	1130	1140	580	30	No	
PACCPCH260TELEAM	Communal	Telesopic	2600	1130	1140	510	30	No	
PACCPCH290TELEAM	Communal	Telesopic	2900	1130	1140	540	30	No	
PACCPCH330TELEAM	Communal	Telesopic	3300	1130	1140	580	30	No	
PACCPCH260EUROAM	Communal	Euro	2600	1130	1140	510	30	No	
PACCPCH290EUROAM	Communal	Euro	2900	1130	1140	540	30	No	
PACCPCH330EUROAM	Communal	Euro	3300	1130	1140	580	30	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Snow plow heavy (Hydr. Adjustable)



### Characteristics:

- Wheel support (200/80). Additional price 370 €
- LED lights. Additional price 60 €
- Ground following function. Additional price 120 €
- Steel wear blade 150x16. Additional price/M 100 €
- PU blade 150x30. Additional price/M 100 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Blade with spring protection	Price (€)
PACCPCV260AM	Communal	3 point CAT. 2	2600	1000	1090	550	No	
PACCPCV290AM	Communal	3 point CAT. 2	2900	1000	1090	590	No	
PACCPCV330AM	Communal	3 point CAT. 2	3300	1000	1090	630	No	
PACCPCV260TELEAM	Communal	Telesopic	2600	1000	1090	550	No	
PACCPCV290TELEAM	Communal	Telesopic	2900	1000	1090	590	No	
PACCPCV330TELEAM	Communal	Telesopic	3300	1000	1090	630	No	
PACCPCV260EUROAM	Communal	Euro	2600	1000	1090	550	No	
PACCPCV290EUROAM	Communal	Euro	2900	1000	1090	590	No	
PACCPCV330EUROAM	Communal	Euro	3300	1000	1090	630	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Snow blade (Mech. adjustable L and R)



### Characteristics:

- Wheel support (200/50). Additional price 280 €
- Blade with spring protection. Additional price 240 €
- LED lights. Additional price 60 €
- Ground following function. Additional price 120 €
- Steel wear blade 150x16. Additional price/M 100 €
- PU blade 150x25. Additional price/M 100 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )	Blade with spring protection	Price (€)
PACCPSMF200AM	Communal	3 point CAT. 2	2000	960	920	320	30	No	
PACCPSMF220AM	Communal	3 point CAT. 2	2200	960	920	330	30	No	
PACCPSMF260AM	Communal	3 point CAT. 2	2600	960	920	340	30	No	
PACCPSMF290AM	Communal	3 point CAT. 2	2900	960	920	360	30	No	
PACCPSMF200TELEAM	Communal	Telesopic	2000	960	920	320	30	No	
PACCPSMF220TELEAM	Communal	Telesopic	2200	960	920	330	30	No	
PACCPSMF260TELEAM	Communal	Telesopic	2600	960	920	340	30	No	
PACCPSMF290TELEAM	Communal	Telesopic	2900	960	920	360	30	No	
PACCPSMF200EUROAM	Communal	Euro	2000	960	920	320	30	No	
PACCPSMF220EUROAM	Communal	Euro	2200	960	920	330	30	No	
PACCPSMF260EUROAM	Communal	Euro	2600	960	920	340	30	No	
PACCPSMF290EUROAM	Communal	Euro	2900	960	920	360	30	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl



# PACAM Attachments

## Snow blade (Mech. adjustable L and R)



### Characteristics:

- Wheel support (200/50). Additional price 280 €
- Blade with spring protection. Additional price 240 €
- LED lights. Additional price 60 €
- Ground following function. Additional price 120 €
- Steel wear blade 150x16. Additional price/M 100 €
- PU blade 150x25. Additional price/M 100 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )	Blade with spring protection	Price (€)
PACCPSHF200AM	Communal	3 point CAT. 2	2000	960	920	350	30	No	
PACCPSHF220AM	Communal	3 point CAT. 2	2200	960	920	360	30	No	
PACCPSHF260AM	Communal	3 point CAT. 2	2600	960	920	385	30	No	
PACCPSHF290AM	Communal	3 point CAT. 2	2900	960	920	410	30	No	
PACCPSHF200TELEAM	Communal	Telesopic	2000	960	920	350	30	No	
PACCPSHF220TELEAM	Communal	Telesopic	2200	960	920	360	30	No	
PACCPSHF260TELEAM	Communal	Telesopic	2600	960	920	385	30	No	
PACCPSHF290TELEAM	Communal	Telesopic	2900	960	920	410	30	No	
PACCPSHF200EUROAM	Communal	Euro	2000	960	920	350	30	No	
PACCPSHF220EUROAM	Communal	Euro	2200	960	920	360	30	No	
PACCPSHF260EUROAM	Communal	Euro	2600	960	920	385	30	No	
PACCPSHF290EUROAM	Communal	Euro	2900	960	920	410	30	No	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Snow plow (Hydr. Adjustable)



### Characteristics:

Wheel support (200/50). Additional price 280 €  
 LED lights. Additional price 60 €  
 Ground following function. Additional price 120 €  
 Steel wear blade 150x16. Additional price/M 100 €  
 PU blade 150x25. Additional price/M 100 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Blade with spring protection	Price (€)
PACCPSV200AM	Communal	3 point CAT. 2	2000	960	920	370	Yes	
PACCPSV220AM	Communal	3 point CAT. 2	2200	960	920	380	Yes	
PACCPSV260AM	Communal	3 point CAT. 2	2600	960	920	390	Yes	
PACCPSV290AM	Communal	3 point CAT. 2	2900	960	920	410	Yes	
PACCPSV200TELEAM	Communal	Telesopic	2000	960	920	370	Yes	
PACCPSV220TELEAM	Communal	Telesopic	2200	960	920	380	Yes	
PACCPSV260TELEAM	Communal	Telesopic	2600	960	920	390	Yes	
PACCPSV290TELEAM	Communal	Telesopic	2900	960	920	410	Yes	
PACCPSV200EUROAM	Communal	Euro	2000	960	920	370	Yes	
PACCPSV220EUROAM	Communal	Euro	2200	960	920	380	Yes	
PACCPSV260EUROAM	Communal	Euro	2600	960	920	390	Yes	
PACCPSV290EUROAM	Communal	Euro	2900	960	920	410	Yes	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Snow blade light (Hydr. Adjustable)



### Characteristics:

Wheel support (160/50). Additional price 210 €

LED lights. Additional price 60 €

Ground following function. Additional price 120 €

Steel wear blade 150x16. Additional price/M 80 €

PU blade 150x25. Additional price/M 85 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )	Blade with spring protection	Price (€)
PACCPLH130AM	Communal	3 point CAT. 1	1300	760	850	165	30	Yes	
PACCPLH150AM	Communal	3 point CAT. 1	1500	760	850	175	30	Yes	
PACCPLH180AM	Communal	3 point CAT. 1	1800	760	850	195	30	Yes	
PACCPLH200AM	Communal	3 point CAT. 1	2000	760	850	215	30	Yes	
PACCPLH130TELEAM	Communal	Telesopic	1300	760	850	165	30	Yes	
PACCPLH150TELEAM	Communal	Telesopic	1500	760	850	175	30	Yes	
PACCPLH180TELEAM	Communal	Telesopic	1800	760	850	195	30	Yes	
PACCPLH200TELEAM	Communal	Telesopic	2000	760	850	215	30	Yes	
PACCPLH130EUROAM	Communal	Euro	1300	760	850	165	30	Yes	
PACCPLH150EUROAM	Communal	Euro	1500	760	850	175	30	Yes	
PACCPLH180EUROAM	Communal	Euro	1800	760	850	195	30	Yes	
PACCPLH200EUROAM	Communal	Euro	2000	760	850	215	30	Yes	
PACCPLH130MINIAM	Communal	Miniloader	1300	760	850	165	30	Yes	
PACCPLH150MINIAM	Communal	Miniloader	1500	760	850	175	30	Yes	
PACCPLH180MINIAM	Communal	Miniloader	1800	760	850	195	30	Yes	
PACCPLH200MINIAM	Communal	Miniloader	2000	760	850	215	30	Yes	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl

# PACAM Attachments

## Snow blade light (Mech. Adjustable)



### Characteristics:

Wheel support (160/50). Additional price 210 €  
 LED lights. Additional price 60 €  
 Ground following function. Additional price 120 €  
 Steel wear blade 150x16. Additional price/M 80 €  
 PU blade 150x25. Additional price/M 85 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Working angle ( ° )	Blade with spring protection	Price (€)
PACCPLM130AM	Communal	3 point CAT. 1	1300	760	850	165	30	Yes	
PACCPLM150AM	Communal	3 point CAT. 1	1500	760	850	175	30	Yes	
PACCPLM180AM	Communal	3 point CAT. 1	1800	760	850	195	30	Yes	
PACCPLM200AM	Communal	3 point CAT. 1	2000	760	850	215	30	Yes	
PACCPLM130TELEAM	Communal	Telesopic	1300	760	850	165	30	Yes	
PACCPLM150TELEAM	Communal	Telesopic	1500	760	850	175	30	Yes	
PACCPLM180TELEAM	Communal	Telesopic	1800	760	850	195	30	Yes	
PACCPLM200TELEAM	Communal	Telesopic	2000	760	850	215	30	Yes	
PACCPLM130EUROAM	Communal	Euro	1300	760	850	165	30	Yes	
PACCPLM150EUROAM	Communal	Euro	1500	760	850	175	30	Yes	
PACCPLM180EUROAM	Communal	Euro	1800	760	850	195	30	Yes	
PACCPLM200EUROAM	Communal	Euro	2000	760	850	215	30	Yes	
PACCPLM130MINIAM	Communal	Miniloader	1300	760	850	165	30	Yes	
PACCPLM150MINIAM	Communal	Miniloader	1500	760	850	175	30	Yes	
PACCPLM180MINIAM	Communal	Miniloader	1800	760	850	195	30	Yes	
PACCPLM200MINIAM	Communal	Miniloader	2000	760	850	215	30	Yes	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Snow plow light (Hydr. Adjustable)



### Characteristics:

Wheel support (160/50). Additional price 210 €  
 LED lights. Additional price 60 €  
 Ground following function. Additional price 120 €  
 Steel wear blade 150x16. Additional price/M 80 €  
 PU blade 150x25. Additional price/M 85 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Blade with spring protection	Price (€)
PACCPLV150AM	Communal	3 point CAT. 1	1500	680	750	210	Yes	
PACCPLV180AM	Communal	3 point CAT. 1	1800	680	750	230	Yes	
PACCPLV200AM	Communal	3 point CAT. 1	2000	680	750	250	Yes	
PACCPLV150TELEAM	Communal	Telesopic	1500	680	750	210	Yes	
PACCPLV180TELEAM	Communal	Telesopic	1800	680	750	230	Yes	
PACCPLV200TELEAM	Communal	Telesopic	2000	680	750	250	Yes	
PACCPLV150EUROAM	Communal	Euro	1500	680	750	210	Yes	
PACCPLV180EUROAM	Communal	Euro	1800	680	750	230	Yes	
PACCPLV200EUROAM	Communal	Euro	2000	680	750	250	Yes	
PACCPLV150MINIAM	Communal	Miniloader	1500	680	750	210	Yes	
PACCPLV180MINIAM	Communal	Miniloader	1800	680	750	230	Yes	
PACCPLV200MINIAM	Communal	Miniloader	2000	680	750	250	Yes	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl



# PACAM Attachments

## Snow plow extra light (Hydr. Adjustable)



### Characteristics:

- Wheel support (160/50). Additional price 210 €
- LED lights. Additional price 60 €
- Ground following function. Additional price 120 €
- Steel wear blade 150x16. Additional price/M 80 €
- PU blade 150x25. Additional price/M 85 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Blade with spring protection	Price (€)
PACCPKV130AM	Communal	3 point CAT. 0	1300	550	750	140	Yes	
PACCPKV150AM	Communal	3 point CAT. 0	1500	550	750	155	Yes	
PACCPKV180AM	Communal	3 point CAT. 0	1800	550	750	170	Yes	
PACCPKV200AM	Communal	3 point CAT. 0	2000	550	750	190	Yes	
PACCPKV130TELEAM	Communal	Telesopic	1300	550	750	140	Yes	
PACCPKV150TELEAM	Communal	Telesopic	1500	550	750	155	Yes	
PACCPKV180TELEAM	Communal	Telesopic	1800	550	750	170	Yes	
PACCPKV200TELEAM	Communal	Telesopic	2000	550	750	190	Yes	
PACCPKV130EUROAM	Communal	Euro	1300	550	750	140	Yes	
PACCPKV150EUROAM	Communal	Euro	1500	550	750	155	Yes	
PACCPKV180EUROAM	Communal	Euro	1800	550	750	170	Yes	
PACCPKV200EUROAM	Communal	Euro	2000	550	750	190	Yes	
PACCPKV130MINIAM	Communal	Miniloader	1300	550	750	140	Yes	
PACCPKV150MINIAM	Communal	Miniloader	1500	550	750	155	Yes	
PACCPKV180MINIAM	Communal	Miniloader	1800	550	750	170	Yes	
PACCPKV200MINIAM	Communal	Miniloader	2000	550	750	190	Yes	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl



# PACAM Attachments

## Snow blade extra light (Hydr. Adjustable)



### Characteristics:

Wheel support (160/50). Additional price 210 €

LED lights. Additional price 60 €

Ground following function. Additional price 120 €

Steel wear blade 150x16. Additional price/M 80 €

PU blade 150x25. Additional price/M 85 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Blade with spring protection	Price (€)
PACCPK120AM	Communal	3 point CAT. 0	1200	550	570	120	Yes	
PACCPK150AM	Communal	3 point CAT. 0	1500	550	570	130	Yes	
PACCPK180AM	Communal	3 point CAT. 0	1800	550	570	140	Yes	
PACCPK120TELEAM	Communal	Telesopic	1200	550	570	120	Yes	
PACCPK150TELEAM	Communal	Telesopic	1500	550	570	130	Yes	
PACCPK180TELEAM	Communal	Telesopic	1800	550	570	140	Yes	
PACCPK120EUROAM	Communal	Euro	1200	550	570	120	Yes	
PACCPK150EUROAM	Communal	Euro	1500	550	570	130	Yes	
PACCPK180EUROAM	Communal	Euro	1800	550	570	140	Yes	
PACCPK120MINIAM	Communal	Miniloader	1200	550	570	120	Yes	
PACCPK150MINIAM	Communal	Miniloader	1500	550	570	130	Yes	
PACCPK180MINIAM	Communal	Miniloader	1800	550	570	140	Yes	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl

# PACAM Attachments

## Rear blade light (Mech. Adjustable)



Part number	Category	Connection	Wide B (mm)	Height H (mm)	Weight (kg)	Price (€)
PACCZTL180AM	Communal	3 point CAT. 2	1800	550	290	
PACCZTL210AM	Communal	3 point CAT. 2	2100	550	310	
PACCZTL240AM	Communal	3 point CAT. 2	2400	550	330	
PACCZTL270AM	Communal	3 point CAT. 2	2700	550	350	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Rear blade light (Hydr. Adjustable)



Part number	Category	Connection	Wide B (mm)	Height H (mm)	Weight (kg)	Price (€)
PACCZTL180HAM	Communal	3 point CAT. 2	1800	550	290	
PACCZTL210HAM	Communal	3 point CAT. 2	2100	550	310	
PACCZTL240HAM	Communal	3 point CAT. 2	2400	550	330	
PACCZTL270HAM	Communal	3 point CAT. 2	2700	550	350	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Rear blade heavy (Mech. Adjustable)



Part number	Category	Connection	Wide B (mm)	Height H (mm)	Weight (kg)	Price (€)
PACCZTC180AM	Communal	3 point CAT. 2	2400	550	600	
PACCZTC270AM	Communal	3 point CAT. 2	2700	550	630	
PACCZTC300AM	Communal	3 point CAT. 2	3000	550	665	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Rear blade heavy (Hydr. Adjustable)



Part number	Category	Connection	Wide B (mm)	Height H (mm)	Weight (kg)	Price (€)
PACCZTC180HAM	Communal	3 point CAT. 2	2400	550	600	
PACCZTC270HAM	Communal	3 point CAT. 2	2700	550	630	
PACCZTC300HAM	Communal	3 point CAT. 2	3000	550	665	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Tool platform



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACCKN130AM	Communal	Euro	1300	1550	1260	220	
PACCKN240AM	Communal	Euro	2400	1550	1260	320	
PACCKN130PALAM	Communal	Palletforks	1300	1550	1260	220	
PACCKN240PALAM	Communal	Palletforks	2400	1550	1260	320	
PACCKN130MINIAM	Communal	Miniloader	1300	1550	1260	220	
PACCKN240MINIAM	Communal	Miniloader	2400	1550	1260	320	
PACCKN130TELEAM	Communal	Telesopic	1300	1550	1260	220	
PACCKN240TELEAM	Communal	Telesopic	2400	1550	1260	320	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl



# PACAM Attachments

## Sweeper



### Characteristics:

Brush diameter 510 mm

Standard brush material PPN (polypropylene)

Oil flow 20-25 L/min

Options:

Manual waste collector: Additional price 580 €

Hydraulic waste collector: Additional price 880 €

Water spray system 175L (12/24V): Additional price 760 €

Side brush 650 mm, fits on both sides: Additional price 820 €

Brush material MIX ( metal + polypropylene)

Brush SPIRAL ( for snow )

Pressure relief valve: Additional price 110 €

Flow regulator: Additional price 230 €



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACCZM120AM	Communal	3 point CAT. 2	1200	2450	1200	130	
PACCZM150AM	Communal	3 point CAT. 2	1500	2450	1200	150	
PACCZM180AM	Communal	3 point CAT. 2	1800	2450	1200	170	
PACCZM230AM	Communal	3 point CAT. 2	2300	2450	1200	190	
PACCZM120EUROAM	Communal	Euro	1200	2450	1200	130	
PACCZM150EUROAM	Communal	Euro	1500	2450	1200	150	
PACCZM180EUROAM	Communal	Euro	1800	2450	1200	170	
PACCZM230EUROAM	Communal	Euro	2300	2450	1200	190	
PACCZM120MINIAM	Communal	Miniloader	1200	2450	1200	130	
PACCZM150MINIAM	Communal	Miniloader	1500	2450	1200	150	
PACCZM180MINIAM	Communal	Miniloader	1800	2450	1200	170	
PACCZM230MINIAM	Communal	Miniloader	2300	2450	1200	190	
PACCZM120TELEAM	Communal	Telesopic	1200	2450	1200	130	
PACCZM150TELEAM	Communal	Telesopic	1500	2450	1200	150	
PACCZM180TELEAM	Communal	Telesopic	1800	2450	1200	170	
PACCZM230TELEAM	Communal	Telesopic	2300	2450	1200	190	
PACCZM120PALAM	Communal	Palletforks	1200	2450	1200	130	
PACCZM150PALAM	Communal	Palletforks	1500	2450	1200	150	
PACCZM180PALAM	Communal	Palletforks	1800	2450	1200	170	
PACCZM230PALAM	Communal	Palletforks	2300	2450	1200	190	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl

# PACAM Attachments

## Mixer with PTO drive



### Characteristics:

Mixer to use for mixing concrete, lime mortar, seed treatments  
 Rotation speed: 30 RPM  
 Reinforced rabble arms



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACUBCM600AM	Construction	Palletforks	1350	1510	1180	600	460	
PACUBCM800AM	Construction	Palletforks	1580	1740	1260	800	550	
PACUBCM1200AM	Construction	Palletforks	1740	1900	1270	1200	850	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Mixer with hydraulic drive



### Characteristics:

- Mixer to use for mixing concrete, lime mortar, seed treatments
- Rotation speed: 30 RPM
- Reinforced rabble arms



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACUBCH600AM	Construction	Palletforks	1350	1510	1180	600	480	
PACUBCH800AM	Construction	Palletforks	1580	1740	1260	800	570	
PACUBCH1200AM	Construction	Palletforks	1740	1900	1270	1200	870	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Mixer with PTO + hydraulic drive



### Characteristics:

Mixer to use for mixing concrete, lime mortar, seed treatments  
 Rotation speed: 30 RPM  
 Reinforced rabble arms



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACUBCHM600AM	Construction	Palletforks	1350	1510	1180	600	490	
PACUBCHM800AM	Construction	Palletforks	1580	1740	1260	800	590	
PACUBCHM1200AM	Construction	Palletforks	1740	1900	1270	1200	880	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl

# PACAM Attachments

## Mixer with electric engine drive



### Characteristics:

- Mixer to use for mixing concrete, lime mortar, seed treatments
- Rotation speed: 30 RPM
- Reinforced rabble arms
- Soft-start system

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACUBCE600AM	Construction	Palletforks	1350	1510	1680	600	600	
PACUBCE800AM	Construction	Palletforks	1580	1740	1680	800	850	
PACUBCE1200AM	Construction	Palletforks	1740	1900	1870	1200	1200	



### PACAM Attachments

Doctor Huub van Doorne weg 40A  
5753 PM Deurne  
The Netherlands

Tel: +31 (0)493 382503  
E mail: info@pacam.nl  
Website: www.pacam.nl

# PACAM Attachments

## Concrete mixer bucket



### Characteristics:

Blade: 400 HB 150x20 mm

Mixer shaft steel: 400 HB

Oil flow: 60-75 L/min

Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Capacity (1:2) Ltr.	Weight (kg)	Price (€)
PACUCMB145AM	Construction	Euro	1400	1000	1100	500	580	
PACUCMB175AM	Construction	Euro	1700	1000	1100	630	625	
PACUCMB205AM	Construction	Euro	2000	1000	1100	750	670	
PACUCMB225AM	Construction	Euro	2200	1000	1100	840	715	
PACUCMB145TELEAM	Construction	Telesopic	1400	1000	1100	500	580	
PACUCMB175TELEAM	Construction	Telesopic	1700	1000	1100	630	625	
PACUCMB205TELEAM	Construction	Telesopic	2000	1000	1100	750	670	
PACUCMB225TELEAM	Construction	Telesopic	2200	1000	1100	840	715	
PACUCMB145MINIAM	Construction	Miniloader	1400	1000	1100	500	580	
PACUCMB175MINIAM	Construction	Miniloader	1700	1000	1100	630	625	



### PACAM Attachments

Doctor Huub van Doorne weg 40A

5753 PM Deurne

The Netherlands

Tel: +31 (0)493 382503

E mail: info@pacam.nl

Website: www.pacam.nl



# PACAM Attachments

## Sand and salt spreading bucket



Part number	Category	Connection	Wide B (mm)	Length L (mm)	Height H (mm)	Weight (kg)	Price (€)
PACCSK150AM	Communal	3 Point CAT.2	1500	1430	1030	350	
PACCSK200AM	Communal	3 Point CAT.2	2000	1430	1030	460	
PACCSK240AM	Communal	3 Point CAT.2	2400	1430	1030	550	



**PACAM Attachments**  
 Doctor Huub van Doorne weg 40A  
 5753 PM Deurne  
 The Netherlands

Tel: +31 (0)493 382503  
 E mail: info@pacam.nl  
 Website: www.pacam.nl



# PACAM

Purchase Association Construction and Agriculture Machinery

**All prices ex works PACAM  
the Netherlands without VAT**

**The prices quoted are subject to any printing and typing errors.**